

www.alfanso.in

ALSO COMING SOON

LUXURY SERIES
ARIZONA & IMPERIAL

&

Multi
Charged | 1200x
VITRIFIED TILES | 800mm

ALFANSO VITRIFIED PVT. LTD.

Jetpar Road, At. Sapar Village,
Dist. & Tal. : Morbi - 363 642 (Guj.) INDIA
Contact : +91 98257 30556

E-mail : alfansovitrified@gmail.com, info@alfanso.in

GET IN TOUCH WITH SOCIAL NETWORKING



Group Of Company




LIVE
the
WONDER

Life

Product
Catalogue '17



ALFANSO®
VITRIFIED



Multi
Charged | 800x | 1200x
VITRIFIED TILES | 800mm | 800mm

LIVE *the* WONDER *Life*

INVOKE ARTISTRY

Let the elegant enormity of this statue be the artistic inspiration for your modern lifestyle.

For our tiles are likewise the glorious tangible example of your most compelling pride.

www.alfanso.in



ALFANSO
VITRIFIED

Welcome to ALFNASO VITRIFIED TILES, ALFA group company working in this field, since 2000. We unite to give satisfaction to our customers by giving best product, services by utilizing expert knowledge. where you can find the ingenious of sharp vision, global network and powerful backbone.

the company carries the vision to provide world class double charge vitrified tiles, it believes in producing superior quality double charge vitrified tiles with sharp vision on market. it takes lot of skills to design and manufacture in competitive market, but the company has a track record of many successful year as a leading ceramic company.

the company has huge production capacity which falls in line with European standard. the company has in house R & D department, where in continuous research is done in designs and quality of double charge vitrified tiles in order to provide value for money to our customers, the company has well-established dealer network throughout the whole country and it is also marked its presence in export market of various small and big countries throughout the world like Taiwan, Argentina, South Africa, Brazil, Mexico, U.S.A. and United Kingdom (U.K.).

Multi-Charged
VITRIFIED TILES

800X 800mm | 1200X 800mm



LIVING ROOM



COMMERCIAL



OFFICE




HOTEL




INDOOR



POLISHED



GRAPHICA WHITE



GRAPHICA STAR WHITE



GRAPHICA GOLD



GRAPHICA ROSE



tiles view shown: GRAPHICA ROSE






GRAPHICA
SERIES DARK



Multi
Charged
VITRIFIED TILES | 800X
800mm



GRAPHICA RUBY RED



GRAPHICA CHOCCO




GRAPHICA ALMOND



GRAPHICA
SERIES DARK



Multi
Charged
VITRIFIED TILES | 800X
800mm



GRAPHICA SLATE



GRAPHICA CARBOON BLACK




GRAPHICA BROWN BLACK



TROPICANE
SERIES



Multi-Charged
VITRIFIED TILES | 800x800mm



TROPICANE WHITE



files view shown: TROPICANE WHITE



TROPICANE
SERIES



Multi-Charged
VITRIFIED TILES | 800X
800mm



ARIZONA CANYON



ARIZONA EMPERADOR



GRAPHICA
SERIES DARK



Multi-Charged
VITRIFIED TILES | 800X
800mm



ARIZONA ERAMOSA



ARIZONA TRAVERTINO



CRYSTAL
SERIES



Multi-Charged
VITRIFIED TILES | 800X
800mm



CRYSTAL WHITE




CRYSTAL
SERIES



Multi-Charged
VITRIFIED TILES | 1200X
800mm



GRAPHICA STAR WHITE



GRAPHICA SLATE



GRAPHICA CARBOON BLACK

No.	Property	International Std. ISO 13006/EN 176 Group Bla	ALFANSO	Method of Testing
1	Deviation in Length	+/-0.6%	+/-0.1%	EN 98
2	Deviation in thickness	+/-5%	+/-2%	EN 98
3	Straightness of sides	+/-0.5%	+/-0.1%	EN 98
4	Rectangularity	+/-0.6%	+/-0.1%	EN 98
5	Surface flatness	+/-0.5%	+/-0.1%	EN 98
6	Flexural Strength	> 27 N/mm ²	48 N/mm ²	EN 100
7	Breaking Strength	1113 N	2500N	ASTM C-648
8	Water Absorption	< 0.5%	< 0.04%	EN 99
9	Density (g/cc)	> 2	2.4	DIN 51082
10	Mohs Hardness	>7.5 - 8	8	EN 101
11	Abrasion Resistance	< 204 mm ³	< 143 mm ³	EN 102
12	Stain Resistance*	Resistant	Resistant	ISO 10545-14
13	Chemical Resistance	No Damage	No Damage	EN 106
14	Colour Resistance	No Damage	No Damage	DIN 51094
15	Thermal Expansion	< 9x10-6	< 6x10-6	EN 103
16	Moisture Expansion	Nil	Nil	ISO 10545-10
17	Thermal Shock Resistance	No Damage	No Damage	EN 104
18	Glossiness	-	Min 92% Reflection	Glossmeter
19	Skid Resistance (Coefficient Friction)	> 0.4	> 0.6	ASTM C-1028

* Vitrified Tiles have resistance to most of the stains / Chemicals but it is recommended to take due care while laying and for day-to-day maintenance.

Packing Details :

Size	No. of Tiles / Box	Coverage Area	Wt. of Box
800x800mm	3 Pcs.	1.92 Sq.Mtr.	43.00 Kg. (Approx)
800x1200mm	2 Pcs.	1.92 Sq.Mtr.	45.00 Kg. (Approx)

Exclusive Applications :



Icon Specifications :

